

# Gen X 10

## Setup Sheet

### Front End:

<b>Track Width</b>	Wide	<b>Wheel Base</b>	Long	<b>Axles</b>	Trailing
<b>Camber</b>	-1.5 degrees	<b>Caster Shims</b>	All Back	<b>Caster Blocks</b>	10 degree
<b>Spring</b>	.50mm 1/12th	<b>King Pin Length</b>	0.404"	<b>Lube</b>	
<b>Upper Arm Length</b>	Short	<b>Upper Arm Height</b>	Raised	<b>Ackerman</b>	Middle
<b>Ride Height Spacer</b>	5 mm	<b>Riser Plate</b>	No	<b>Chassis Stiffener</b>	Yes

### Center:

<b>Shock Spring</b>	17.5 lb.	<b>Shock Oil</b>	30 wt.	<b>Shock Mount</b>	Hole 2
<b>Battery</b>	1S LiPo	<b>Battery Position</b>	Forward	<b>Center ESC Mount</b>	Yes

### Rear End:

<b>Damper Tubes</b>	30,000 wt.	<b>Side Springs</b>	Red	<b>Side Preload</b>	2 turns
<b>Body Mnt. Position</b>	Outer (option 1771)	<b>Rear Steer</b>		<b>Droop</b>	1 mm

### Tires:

<b>Fr. Tire Compound</b>	WGT Spec	<b>Rr. Tire Compound</b>	WGT Spec	<b>Tire Brand</b>	BSR
<b>Front Tire Size</b>	2.01"	<b>Front Additive</b>	3/4	<b>Front Glue</b>	Safety (just the bead)
<b>Rear Tire Size</b>	2.01"	<b>Rear Additive</b>	Full	<b>Rear Glue</b>	Safety (just the bead)

### Ride Height:

<b>Front</b>	4.5mm	<b>Middle</b>	4.5mm	<b>Rear</b>	4.5mm
--------------	-------	---------------	-------	-------------	-------

**Body:** Protoform Sophia

### Notes:

Used 1/12th scale kingpins with .050mm 1/12th scale front springs. lowered the top deck by replacing the stock standoffs with 2 packs of 13333 and removing the silver nuts to better accomodate the single cell lipo, the foam was left in. also used the 1232 long ballcups with the stock tie-rods to reach the middle ackerman position on the steering arms. used the 1759 front foam bumper. Kimbrough mid-size servo saver.